

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER
SEP 01 2004

Applicant(s): Woo Sik Yoo
 Assignee: WaferMasters, Inc.
 Title: Gas-Assisted Rapid Thermal Proceesing
 Serial No.: 10/005,827 Filing Date: November 8, 2001
 Examiner: Trinh, M. Group Art Unit: 2822
 Docket No.: M-11914 US

Irvine, California
September 1, 2004

Mail Stop AF
COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22213-1450

PETITION FOR EXTENSION OF TIME

Dear Sir:

Applicant(s) respectfully petition(s) for a 1-month extension of time within which to respond to the Final Office Action mailed by the U.S. Patent and Trademark Office on May 5, 2004, such extension allowing the undersigned until September 5, 2004 to respond.

Please charge the fee of \$55.00 to the undersigned's Deposit Account No. 50-2257.

Please charge any additional fees or credit overpayment to the above-deposit account. If there are any questions, please call the undersigned at (949) 752-7040.

Certificate of Facsimile Transmission

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office to Fax No. 703-872-9306 on the date stated below.

Tina Kavanagh
Tina Kavanaugh

September 1, 2004

Respectfully submitted,

David S. Park
David S. Park
Attorney for Applicant(s)
Reg. No. 52,094

LAW OFFICES OF
MACPHERSON KYOK CHEN
& BIRD LLP
2402 MICHELSON DRIVE
SUITE 210
IRVINE, CA 92612
(949) 752-7040
FAX (949) 752-7049

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.